


**S2S Off Road & Performance - 335 Kietzke Lane Reno NV 89502 - 775-327-4400**



Stock Intake 4th Gear.drf - 6/28/2012 12:45:57 PM Run Type: RO Run Conditions: 82.87 °F, 25.83 in-Hg, Humidity: 12%, SAE: 1.17  
 Max Power = 113.61 Max Torque = 137.64

Gorilla Intake 4th Gear.drf - 6/28/2012 1:01:20 PM Run Type: RO Run Conditions: 85.13 °F, 25.82 in-Hg, Humidity: 9%, SAE: 1.17  
 Max Power = 125.19 Max Torque = 142.86

Dynojet Research Inc.

Run Name: C:\DynoRuns\Automotive\1993 Subaru Impreza RS Alex Rademacher\Stock Intake 4th Gear.drf

Run Title:

Run Notes:

Run Date: 6/28/2012 12:45:53 PM

Stock Intake 4th Gear.drf: 82.87 °F 25.83 in-Hg Humidity: 12 % SAE: 1.17 Average Gear Ratio: 63.02

s	RPM x1000	hp	ft-lbs	Air/Fuel	
0.30	2.60	54.62	110.28	14.22	
1.08	2.70	63.33	123.19	13.12	
1.85	2.80	65.28	122.44	13.00	
2.64	2.90	68.23	123.56	13.12	
3.40	3.00	71.25	124.75	13.04	
4.17	3.10	73.68	124.84	12.95	
4.94	3.20	77.05	126.46	13.04	
5.69	3.30	80.16	127.57	13.05	
6.44	3.40	83.44	128.89	13.12	
7.18	3.50	87.08	130.68	13.13	
7.91	3.60	91.30	133.20	13.25	
8.63	3.70	96.01	136.28	13.24	
9.33	3.80	99.03	136.88	13.17	
10.04	3.90	100.71	135.63	12.97	
10.76	4.00	102.01	133.94	12.67	
11.50	4.10	102.39	131.17	12.40	
12.28	4.20	101.30	126.68	12.21	
13.07	4.30	101.35	123.79	12.06	
13.88	4.40	101.77	121.48	11.88	
14.72	4.50	103.25	120.51	11.77	
15.55	4.60	105.26	120.19	11.75	
16.39	4.70	107.25	119.85	11.64	
17.22	4.80	109.93	120.28	11.69	
18.11	4.90	109.03	116.86	11.61	
18.94	5.00	110.42	115.99	11.58	
19.83	5.10	112.25	115.60	11.47	
20.72	5.20	112.50	113.63	11.56	
21.66	5.30	112.90	111.88	11.42	
22.59	5.40	113.39	110.28	11.46	
23.56	5.50	111.82	106.78	11.52	
24.57	5.60	112.27	105.29	11.35	
25.59	5.70	110.36	101.69	11.25	
26.69	5.80	105.47	95.51	11.03	
27.86	5.90	104.58	93.09	10.84	
29.09	6.00	101.60	88.93	10.72	
MAX:	29.09	6.00	113.39	136.88	14.22
MIN:	0.30	2.60	54.62	88.93	10.72

Dynojet Research Inc.

Run Name: C:\DynoRuns\Automotive\1993 Subaru Impreza RS Alex Rademacher\Gorilla Intake 4th Gear.drf

Run Title:

Run Notes:

Run Date: 6/28/2012 12:53:57 PM

Gorilla Intake 4th Gear.drf: 85.13 °F 25.82 in-Hg Humidity: 9 % SAE: 1.17 Average Gear Ratio: 63.01

s	RPM x1000	hp	ft-lbs	Air/Fuel
0.93	2.70	72.06	140.17	13.77
1.59	2.80	74.42	139.60	14.10
2.25	2.90	76.99	139.44	14.13
2.94	3.00	80.33	140.63	14.07
3.63	3.10	81.12	137.43	13.95
4.34	3.20	82.77	135.84	13.62
5.04	3.30	82.75	131.70	13.30
5.80	3.40	83.79	129.44	12.98
6.56	3.50	84.45	126.73	12.72
7.34	3.60	85.85	125.25	12.54
8.12	3.70	87.75	124.56	12.35
8.89	3.80	89.98	124.37	12.11
9.68	3.90	94.44	127.18	12.10

10.44	4.00	96.77	127.06	12.02
11.23	4.10	98.84	126.61	11.90
12.01	4.20	101.47	126.88	11.92
12.78	4.30	104.62	127.78	11.90
13.55	4.40	108.75	129.81	12.02
14.30	4.50	112.65	131.48	11.95
15.06	4.60	115.33	131.68	11.89
15.81	4.70	117.93	131.78	11.89
16.57	4.80	119.53	130.79	11.71
17.38	4.90	117.75	126.22	11.57
18.15	5.00	120.06	126.12	11.58
18.96	5.10	121.95	125.59	11.62
19.77	5.20	122.60	123.82	11.56
20.61	5.30	123.74	122.62	11.63
21.47	5.40	123.93	120.53	11.58
22.33	5.50	124.33	118.73	11.48
23.21	5.60	123.59	115.91	11.43
24.14	5.70	122.51	112.89	11.39
25.10	5.80	120.03	108.69	11.27
26.12	5.90	116.68	103.87	11.12
27.22	6.00	110.68	96.89	10.86
28.17	6.10	85.42	73.66	N/A

MAX:	28.17	6.10	124.33	140.63	14.13
MIN:	0.93	2.70	72.06	73.66	10.86