

LEGACY

SPECIFICATIONS

1. LEGACY

A: DIMENSION

1. SEDAN MODEL

| Model | | 2.5 L SOHC | 2.5 L DOHC turbo |
|--------------------------|---------|---------------|--|
| Overall length | mm (in) | 4,730 (186.2) | |
| Overall width | mm (in) | 1,730 (68.1) | |
| Overall height (at C.W.) | mm (in) | 1,425 (56.1) | |
| Compartment | Length | mm (in) | 1,900 (74.8) |
| | Width | mm (in) | 1,445 (56.9) |
| | Height | mm (in) | 1,165 (45.9), 1,100 (43.3) ^{★1} |
| Wheelbase | mm (in) | 2,670 (105.1) | |
| Tread | Front | mm (in) | 1,495 (58.9) |
| | Rear | mm (in) | 1,485 (58.5) |
| Minimum road clearance | mm (in) | 150 (5.9) | |

★1: With sunroof

2. WAGON MODEL

| Model | | 2.5 L SOHC | 2.5 L DOHC turbo |
|--------------------------|---------|---------------|--|
| Overall length | mm (in) | 4,795 (188.8) | |
| Overall width | mm (in) | 1,730 (68.1) | |
| Overall height (at C.W.) | mm (in) | 1,475 (58.1) | |
| Compartment | Length | mm (in) | 1,840 (72.4) |
| | Width | mm (in) | 1,445 (56.9) |
| | Height | mm (in) | 1,190 (46.9), 1,145 (45.1) ^{★1} |
| Wheelbase | mm (in) | 2,670 (105.1) | |
| Tread | Front | mm (in) | 1,495 (58.9) |
| | Rear | mm (in) | 1,485 (58.5) |
| Minimum road clearance | mm (in) | 150 (5.9) | 155 (6.1) |

★1: With sunroof

B: ENGINE

| Model | | 2.5 L SOHC | 2.5 L DOHC turbo |
|--|-------------------------|---|-----------------------|
| Engine type | | Horizontally opposed, liquid cooled, 4-cylinder, 4-stroke gasoline engine | |
| Valve arrangement | | Overhead camshaft | |
| Bore × Stroke | mm (in) | 99.5 × 79.0 (3.917 × 3.110) | |
| Displacement | cm ³ (cu in) | 2,457 (149.9) | |
| Compression ratio | | 10.0 | 8.2 |
| Ignition order | | 1 — 3 — 2 — 4 | |
| Idle speed at Park or Neutral position | rpm | 650 (MT) 700 (AT) | 750 |
| Maximum output | kW (HP)/rpm | 124 (166)/5,600 (U5 model) 127 (170)/5,600 (Except for U5 model) | 186 (250)/6,000 |
| Maximum torque | N·m (kgf-m, ft-lb)/rpm | 225 (22.9, 166)/3,600 (U5 model) 225 (22.9, 166)/4,000 (Except for U5 model) | 339 (34.5, 250)/3,600 |

C: ELECTRICAL

| | | | | | |
|-----------------------------|-------------------------|-----------------------|---------------------|------------------------------------|--|
| Model | | 2.5 L SOHC | | 2.5 L DOHC turbo | |
| Ignition timing (at idling) | | BTDC | | 13° | |
| Spark plug | | Type and manufacturer | | CHAMPION: RC10YC4 NGK: FR5AP-11 | |
| Generator | | 12V — 110A | | | |
| Battery | Type and capacity (5HR) | MT | 12V — 48AH (55D23L) | | |
| | | AT | 12V — 52AH (75D23L) | | |

D: TRANSMISSION

| | | | | | | |
|------------------------|--------------------|--------------|---------|------------------|---------|--------|
| Model | | 2.5 L SOHC | | 2.5 L DOHC turbo | | |
| Transmission type | | 5MT | | 4AT | | |
| Clutch type | | DSPD | | TCC | | |
| Gear ratio | 1st | 3.454 | 2.785 | 3.166 | 3.540 | |
| | 2nd | 2.062 | 1.545 | 1.882 | 2.264 | |
| | 3rd | 1.448 | 1.000 | 1.296 | 1.471 | |
| | 4th | 1.088 | 0.694 | 0.972 | 1.000 | |
| | 5th | 0.780 | — | 0.738 | 0.834 | |
| | Rev. | 3.333 | 2.272 | 3.333 | 2.370 | |
| Reduction gear (Front) | 1st reduction | Type of gear | — | Helical | — | |
| | | Gear ratio | — | 1.000 | — | |
| | Final reduction | Type of gear | Hypoid | Hypoid | Hypoid | Hypoid |
| | | Gear ratio | 3.900 | 4.111 | 4.111 | 3.272 |
| Reduction gear (Rear) | Transfer reduction | Type of gear | Helical | — | Helical | |
| | | Gear ratio | 1.000 | — | 1.000 | |
| | Final reduction | Type of gear | Hypoid | Hypoid | Hypoid | Hypoid |
| | | Gear ratio | 3.900 | 4.111 | 4.111 | 3.272 |

5MT: 5-forward speeds with synchromesh and 1-reverse

4AT: Electronically controlled fully-automatic, 4-forward speeds and 1-reverse

5AT: Electronically controlled fully-automatic, 5-forward speeds and 1-reverse

DSPD: Dry Single Plate Diaphragm

TCC: Torque Converter Clutch

E: STEERING

| | | | | | |
|--------------------------|--------|--|-------------|------------------|--|
| Model | | 2.5 L SOHC | | 2.5 L DOHC turbo | |
| Type | | Rack and Pinion | | | |
| Turns, lock to lock | | 3.2 | | 2.8 | |
| Minimum turning diameter | m (ft) | Center of tire width to center of tire width | 10.8 (35.4) | | |
| | | Wall to wall | 11.6 (38.1) | | |

F: SUSPENSION

| | |
|-------|----------------------------------|
| Front | Macpherson strut type suspension |
| Rear | Multi-link type suspension |

LEGACY

SPECIFICATIONS

G: BRAKE

| | | |
|----------------------|---|-----------------------|
| Model | 2.5 L SOHC | 2.5 L DOHC turbo |
| Service brake system | Dual circuit hydraulic with vacuum suspended power unit | |
| Front | Ventilated disc brake | |
| Rear | Disc brake | Ventilated disc brake |
| Parking Brake | Mechanical on rear brakes | |

H: TIRE

| | | |
|------------|-------------------------------|------------------|
| Model | 2.5 L SOHC | 2.5 L DOHC turbo |
| Wheel size | 16 × 6 1/2JJ | 17 × 7JJ |
| Tire size | P205/55 R16 89H | 215/45 ZR17 |
| Type | Steel belted radial, Tubeless | |

I: CAPACITY

| Model | | 2.5 L SOHC | | 2.5 L DOHC turbo | |
|-----------------------------|--|--|----------------|------------------|-----------------|
| | | 5MT | 4AT | 5MT | 5AT |
| Fuel tank | ℓ (US gal, Imp gal) | 64 (16.9, 14.1) | | | |
| Engine oil | Capacity (at overhaul) ℓ (US qt, Imp qt) | 4.4 (4.7, 3.9) | | 4.9 (5.2, 4.3) | |
| | Filling amount of engine oil ℓ (US qt, Imp qt) | At replace the engine oil and oil filter | | 4.3 (4.5, 3.8) | |
| | | At replace the engine oil only | | 4.0 (4.2, 3.5) | |
| Transmission gear oil | ℓ (US qt, Imp qt) | 3.5 (3.7, 3.1) | — | 3.5 (3.7, 3.1) | — |
| ATF | ℓ (US qt, Imp qt) | — | 9.3 (9.8, 8.2) | — | 9.8 (10.4, 8.6) |
| Front differential gear oil | ℓ (US qt, Imp qt) | — | 1.2 (1.3, 1.1) | — | 1.4 (1.5, 1.2) |
| Rear differential gear oil | ℓ (US qt, Imp qt) | 0.8 (0.8, 0.7) | | | |
| Power steering fluid | ℓ (US qt, Imp qt) | 0.8 (0.8, 0.7) | | | |
| Engine coolant | ℓ (US qt, Imp qt) | 6.4 (6.8, 5.6) | 6.3 (6.7, 5.5) | 7.3 (7.7, 6.4) | 7.2 (7.6, 6.3) |

J: WEIGHT

1. US MODEL

| Model | | | Sedan | | | | | | | |
|-----------------------------------|--------------------------|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| | | | 2.5 L SOHC | | | | | | | |
| | | | 2.5 i | | | | 2.5 i Limited | | | |
| | | | 5MT | | 4AT | | 5MT | | 4AT | |
| Curb weight (C.W.) | Front | kg (lb) | 798 (1,760) | 806 (1,780) | 818 (1,805) | 826 (1,825) | 813 (1,795) | 821 (1,810) | 833 (1,840) | 841 (1,855) |
| | Rear | kg (lb) | 652 (1,440) | 660 (1,455) | 652 (1,440) | 660 (1,455) | 667 (1,470) | 675 (1,490) | 667 (1,470) | 675 (1,490) |
| | Total | kg (lb) | 1,450 (3,200) | 1,466 (3,235) | 1,470 (3,240) | 1,486 (3,280) | 1,480 (3,265) | 1,496 (3,300) | 1,500 (3,310) | 1,516 (3,345) |
| Gross axle weight ratio (G.A.W.R) | Front | kg (lb) | 1,040 (2,295) |
| | Rear | kg (lb) | 1,060 (2,335) |
| Gross vehicle weight (G.V.W.) | | kg (lb) | 1,960 (4,325) |
| Option | Vehicle Dynamics Control | | — | — | — | — | — | — | — | — |
| | Power package | | — | — | — | — | ○ | ○ | ○ | ○ |
| | Side airbag | | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| | Curtain airbag | | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| | Sunroof | | — | — | — | — | ○ | ○ | ○ | ○ |
| | 17-in Aluminum wheel | | — | ○ | — | ○ | — | ○ | — | ○ |

| Model | | | Sedan | | | |
|-----------------------------------|--------------------------|---------|------------------|------------------|------------------|------------------|
| | | | 2.5 L DOHC turbo | | | |
| | | | 2.5 GT | | 2.5 GT Limited | |
| | | | 5MT | 5AT | 5MT | 5AT |
| Curb weight (C.W.) | Front | kg (lb) | 828 (1,830) | 858 (1,895) | 843 (1,860) | 873 (1,925) |
| | Rear | kg (lb) | 667 (1,470) | 667 (1,470) | 682 (1,505) | 682 (1,505) |
| | Total | kg (lb) | 1,495 (3,300) | 1,525 (3,365) | 1,525 (3,365) | 1,555 (3,435) |
| Gross axle weight ratio (G.A.W.R) | Front | kg (lb) | 1,040 (2,295) | 1,040 (2,295) | 1,040 (2,295) | 1,040 (2,295) |
| | Rear | kg (lb) | 1,060 (2,335) | 1,060 (2,335) | 1,060 (2,335) | 1,060 (2,335) |
| Gross vehicle weight (G.V.W.) | | kg (lb) | 2,010 (4,435) | 2,010 (4,435) | 2,010 (4,435) | 2,010 (4,435) |
| Option | Vehicle Dynamics Control | | — | — | — | — |
| | Power package | | — | — | ○ | ○ |
| | Side airbag | | ○ | ○ | ○ | ○ |
| | Curtain airbag | | ○ | ○ | ○ | ○ |
| | Sunroof | | — | — | ○ | ○ |
| | 17-in Aluminum wheel | | — | — | — | — |

LEGACY

SPECIFICATIONS

| Model | | | Wagon | | | | | | | |
|-----------------------------------|--------------------------|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| | | | 2.5 L SOHC | | | | | | | |
| | | | 2.5 i | | | | 2.5 i Limited | | | |
| | | | 5MT | | 4AT | | 5MT | | 4AT | |
| Curb weight (C.W.) | Front | kg (lb) | 798 (1,760) | 806 (1,780) | 818 (1,805) | 826 (1,825) | 813 (1,795) | 820 (1,810) | 833 (1,840) | 841 (1,855) |
| | Rear | kg (lb) | 677 (1,495) | 685 (1,510) | 677 (1,495) | 685 (1,510) | 697 (1,540) | 705 (1,560) | 697 (1,540) | 705 (1,560) |
| | Total | kg (lb) | 1,475 (3,255) | 1,491 (3,290) | 1,495 (3,300) | 1,511 (3,335) | 1,510 (3,335) | 1,525 (3,360) | 1,530 (3,380) | 1,546 (3,415) |
| Gross axle weight ratio (G.A.W.R) | Front | kg (lb) | 1,040 (2,295) |
| | Rear | kg (lb) | 1,060 (2,335) |
| Gross vehicle weight (G.V.W.) | | kg (lb) | 1,960 (4,325) | 1,960 (4,325) | 1,960 (4,325) | 1,960 (4,325) | 2,010 (4,435) | 2,010 (4,435) | 2,010 (4,435) | 2,010 (4,435) |
| Option | Vehicle Dynamics Control | | — | — | — | — | — | — | — | — |
| | Power package | | — | — | — | — | ○ | ○ | ○ | ○ |
| | Side airbag | | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| | Curtain airbag | | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| | Sunroof | | — | — | — | — | ○ | ○ | ○ | ○ |
| | 17-in Aluminum wheel | | — | ○ | — | ○ | — | ○ | — | ○ |

| Model | | | Wagon | | | |
|-----------------------------------|--------------------------|---------|------------------|------------------|------------------|------------------|
| | | | 2.5 L DOHC turbo | | | |
| | | | 2.5 GT | | 2.5 GT Limited | |
| | | | 5MT | 5AT | 5MT | 5AT |
| Curb weight (C.W.) | Front | kg (lb) | 828 (1,830) | 858 (1,895) | 843 (1,860) | 873 (1,925) |
| | Rear | kg (lb) | 692 (1,525) | 692 (1,525) | 712 (1,575) | 712 (1,575) |
| | Total | kg (lb) | 1,520 (3,355) | 1,550 (3,420) | 1,555 (3,435) | 1,585 (3,500) |
| Gross axle weight ratio (G.A.W.R) | Front | kg (lb) | 1,040 (2,295) | 1,040 (2,295) | 1,040 (2,295) | 1,040 (2,295) |
| | Rear | kg (lb) | 1,060 (2,335) | 1,060 (2,335) | 1,060 (2,335) | 1,060 (2,335) |
| Gross vehicle weight (G.V.W.) | | kg (lb) | 2,015 (4,545) | 2,015 (4,545) | 2,015 (4,545) | 2,015 (4,545) |
| Option | Vehicle Dynamics Control | | — | — | — | — |
| | Power package | | — | — | ○ | ○ |
| | Side airbag | | ○ | ○ | ○ | ○ |
| | Curtain airbag | | ○ | ○ | ○ | ○ |
| | Sunroof | | — | — | ○ | ○ |
| | 17-in Aluminum wheel | | — | — | — | — |

2. CANADA MODEL

| Model | | | Sedan | | | | | | | |
|-----------------------------------|--------------------------|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| | | | 2.5 L SOHC | | | | | | | |
| | | | 2.5 i | | | | 2.5 i Limited | | | |
| | | | 5MT | | 4AT | | 5MT | | 4AT | |
| Curb weight (C.W.) | Front | kg (lb) | 798 (1,760) | 806 (1,780) | 818 (1,805) | 826 (1,825) | 813 (1,795) | 821 (1,810) | 833 (1,840) | 841 (1,855) |
| | Rear | kg (lb) | 652 (1,440) | 660 (1,455) | 652 (1,440) | 660 (1,455) | 667 (1,470) | 675 (1,490) | 667 (1,470) | 675 (1,490) |
| | Total | kg (lb) | 1,450 (3,200) | 1,466 (3,235) | 1,470 (3,245) | 1,486 (3,280) | 1,480 (3,265) | 1,496 (3,300) | 1,500 (3,310) | 1,516 (3,345) |
| Gross axle weight ratio (G.A.W.R) | Front | kg (lb) | 1,040 (2,295) |
| | Rear | kg (lb) | 1,055 (2,330) |
| Gross vehicle weight (G.V.W.) | | kg (lb) | 1,960 (4,325) |
| Option | Vehicle Dynamics Control | | — | — | — | — | — | — | — | — |
| | Power package | | — | — | — | — | ○ | ○ | ○ | ○ |
| | Side airbag | | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| | Curtain airbag | | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| | Sunroof | | — | — | — | — | ○ | ○ | ○ | ○ |
| | 17-in Alminum wheel | | — | ○ | — | ○ | — | ○ | — | ○ |

| Model | | | Sedan | | | |
|-----------------------------------|--------------------------|---------|------------------|------------------|------------------|------------------|
| | | | 2.5 L DOHC turbo | | | |
| | | | 2.5 GT | | 2.5 GT Limited | |
| | | | 5MT | 5AT | 5MT | 5AT |
| Curb weight (C.W.) | Front | kg (lb) | 828 (1,830) | 858 (1,895) | 843 (1,860) | 873 (1,925) |
| | Rear | kg (lb) | 667 (1,470) | 667 (1,470) | 682 (1,505) | 682 (1,505) |
| | Total | kg (lb) | 1,495 (3,300) | 1,525 (3,365) | 1,525 (3,365) | 1,555 (3,435) |
| Gross axle weight ratio (G.A.W.R) | Front | kg (lb) | 1,040 (2,295) | 1,040 (2,295) | 1,040 (2,295) | 1,040 (2,295) |
| | Rear | kg (lb) | 1,055 (2,330) | 1,055 (2,330) | 1,055 (2,330) | 1,055 (2,330) |
| Gross vehicle weight (G.V.W.) | | kg (lb) | 2,010 (4,435) | 2,010 (4,435) | 2,010 (4,435) | 2,010 (4,435) |
| Option | Vehicle Dynamics Control | | — | — | — | — |
| | Power package | | — | — | ○ | ○ |
| | Side airbag | | ○ | ○ | ○ | ○ |
| | Curtain airbag | | ○ | ○ | ○ | ○ |
| | Sunroof | | — | — | ○ | ○ |
| | 17-in Alminum wheel | | — | — | — | — |

LEGACY

SPECIFICATIONS

| Model | | | Wagon | | | | | | | |
|-----------------------------------|--------------------------|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| | | | 2.5 L SOHC | | | | | | | |
| | | | 2.5 i | | | | 2.5 i Limited | | | |
| | | | 5MT | | 4AT | | 5MT | | 4AT | |
| Curb weight (C.W.) | Front | kg (lb) | 798 (1,760) | 806 (1,780) | 818 (1,805) | 826 (1,825) | 813 (1,795) | 820 (1,810) | 833 (1,840) | 841 (1,855) |
| | Rear | kg (lb) | 677 (1,495) | 685 (1,510) | 677 (1,495) | 685 (1,510) | 697 (1,540) | 705 (1,560) | 697 (1,540) | 705 (1,560) |
| | Total | kg (lb) | 1,475 (3,255) | 1,491 (3,290) | 1,495 (3,300) | 1,511 (3,335) | 1,510 (3,335) | 1,525 (3,360) | 1,530 (3,380) | 1,546 (3,415) |
| Gross axle weight ratio (G.A.W.R) | Front | kg (lb) | 1,040 (2,295) |
| | Rear | kg (lb) | 1,055 (2,330) |
| Gross vehicle weight (G.V.W.) | | kg (lb) | 1,960 (4,325) | 1,960 (4,325) | 1,960 (4,325) | 1,960 (4,325) | 2,010 (4,435) | 2,010 (4,435) | 2,010 (4,435) | 2,010 (4,435) |
| Option | Vehicle Dynamics Control | | — | — | — | — | — | — | — | — |
| | Power package | | — | — | — | — | ○ | ○ | ○ | ○ |
| | Side airbag | | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| | Curtain airbag | | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| | Sunroof | | — | — | — | — | ○ | ○ | ○ | ○ |
| | 17-in Aluminum wheel | | — | ○ | — | ○ | — | ○ | — | ○ |

| Model | | | Wagon | | | |
|-----------------------------------|--------------------------|---------|------------------|------------------|------------------|------------------|
| | | | 2.5 L DOHC turbo | | | |
| | | | 2.5 GT | | 2.5 GT Limited | |
| | | | 5MT | 5AT | 5MT | 5AT |
| Curb weight (C.W.) | Front | kg (lb) | 828 (1,830) | 858 (1,890) | 843 (1,860) | 873 (1,925) |
| | Rear | kg (lb) | 692 (1,525) | 692 (1,525) | 712 (1,575) | 712 (1,575) |
| | Total | kg (lb) | 1,520 (3,360) | 1,550 (3,420) | 1,555 (3,435) | 1,585 (3,500) |
| Gross axle weight ratio (G.A.W.R) | Front | kg (lb) | 1,040 (2,295) | 1,040 (2,295) | 1,040 (2,295) | 1,040 (2,295) |
| | Rear | kg (lb) | 1,055 (2,330) | 1,055 (2,330) | 1,055 (2,330) | 1,055 (2,330) |
| Gross vehicle weight (G.V.W.) | | kg (lb) | 2,060 (4,545) | 2,060 (4,545) | 2,060 (4,545) | 2,060 (4,545) |
| Option | Vehicle Dynamics Control | | — | — | — | — |
| | Power package | | — | — | ○ | ○ |
| | Side airbag | | ○ | ○ | ○ | ○ |
| | Curtain airbag | | ○ | ○ | ○ | ○ |
| | Sunroof | | — | — | ○ | ○ |
| | 17-in Aluminum wheel | | — | — | — | — |

3. OPTION

| Option | Front kg (lb) | Rear kg (lb) | Total kg (lb) |
|------------------------------|---------------|--------------|---------------|
| Vehicle Dynamics Control | 6.4 (14.1) | 0.2 (0.4) | 6.6 (14.5) |
| Audio | 1.8 (4.0) | 0.7 (1.5) | 2.5 (5.5) |
| Power package | 1.8 (4.0) | 3.1 (6.8) | 4.9 (10.8) |
| Side airbag | 1.9 (4.2) | 1.9 (4.2) | 3.8 (8.4) |
| Curtain airbag (Sedan model) | 0.4 (0.9) | 5.3 (11.7) | 5.7 (12.6) |
| Curtain airbag (Wagon model) | 0.5 (1.1) | 5.0 (11.0) | 5.5 (12.1) |
| Sunroof (Sedan model) | 8.1 (17.9) | 8.9 (19.6) | 17.0 (37.5) |
| Sunroof (Wagon model) | 8.3 (18.3) | 18.7 (41.3) | 27.0 (59.6) |